


#2 .121 x 29-1/4" x 49-7/8"  
 #12 .134 x 60" x 78" (18 to 1)

ITEM	P/N	DESCRIPTION	QTY
1	H16099J	16" OD SE 2:1 JOGGLE HEAD	2
2	R100003	.121" ROLLED SHELL	1
3	F101501	1-1/2" RAD O-RING NPT	2
4	F715RING	1-1/2" O-RING	2
5	F715075S	1-1/2" X 3/4" O-RING RED	2
6	F100750	3/4" SERIES 384 NPT	1
7	F500750	3/4" PLASTIC PLUG	3
8	F100250	1/4" SERIES 381 NPT	3
9	F500250	1/4" PLASTIC PLUG	3
10	S101990	4 GA TOP PLATE	1
11	S100001	NAME PLATE	1
12	S100111	CHANNEL FOOT	2



DESIGN & CALCULATIONS COMPLY WITH  
 ASME CODE SECTION VIII, DIV. 1  
 2004 EDITION  
 04 ADDENDA

WPS	NDE
1 SFI-2-1 OR SFI-1 SK 1	1 MAGNETIC PARTICLE
2 SFI-2-1 OR SFI-14 SK 2	2 SPOT X-RAY PER UW52
3 SFI-2-1	3 FULL X-RAY PER UW51
4 SEE ATTACHMENT	5 SEAL WELDING REQUIRED

ATTACHMENT WPS  
 3/16 & BELOW A569 SFI-6  
 5/16 & ABOVE A36 SFI-2-1  
 STRUCTURAL A36 SFI-2-1  
 1/4 A635 SFI-3

16" X 38" HORIZONTAL - AIR RECEIVER (30 GALLONS) (4.01 FT<sup>3</sup>)

NO.	DATE	REVISION	ENG	QCM	HEAD THK: .099 MIN. C.A.: NONE MAT'L SA 414-G EFF 85%	SHELL THK: .121 NOM. C.A.: NONE MAT'L SA 414-G EFF 70%	NAT'L BD. NO	MAWP 200 PSI AT 450 °F
							STAMP: "UM" STAMP	MDMT -20 °F AT 200 PSI
							CRN: H79515C	TEST: HYDRO AT 260 PSI
							REF: IND AIR OF TEXAS	PNEU. AT 260 PSI

INDUSTRIAL AIR OF TEXAS  
 ENG. APPL./DATE: *[Signature]* 3/30/05  
 QCM APPL./DATE: *[Signature]* 3/30/05



OAKVILLE, ONT. **STEEL FAB** ABINGDON, VA  
 DRAWN BY: ABH P/N: A12332  
 DATE: 04/02/03

FITTINGS - SA181-70  
 IMPACT TESTING NOT REQUIRED PER UG-20(f)

RELEASED TO PRODUCTION  
 SALES ORDER NUMBER \_\_\_\_\_  
 SPECIAL \_\_\_\_\_

SHIPPING WEIGHT: 140#

\* FOR HOLES  
2.48 AND 4.23  
DOWN FROM EDGE



4 GA X 22.33" X 40"

REV	DATE	DESCRIPTION	CUSTOMER REV. #	CUSTOMER P/N	STEEL FAB INC. ABINGDON, VIRGINIA 24210	
					DESC:	4 GA TOPPLATE FOR A12332 INDUSTRIAL AIR OF TEXAS
					DRWN BY:	ABH
					DATE:	04/02/03
					P/N:	S101990